

Material Safety Data Sheet
Copper Zinc Tin Selenide (CZTSe)

1. Product and Company Identification

Trade Name: Copper zinc tin selenide (CZTSe)
Chemical Formula: $\text{Cu}_2\text{ZnSnSe}_4$
Recommended Use: Scientific research and development

Manufacturer/Supplier: ALB Materials Inc
Street: 2360 Corporate Circle, Suite 400
City: Henderson
State: Nevada
Zip Code: 89074-7739
Country: USA
Tel #: +1 702 983 3769

24-Hour Emergency Contact: 800-424-9300 (US & Canada)
+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H301+H331 Toxic if swallowed or if inhaled
H373 May cause damage to central nervous system, liver, digestive system through prolonged or repeated oral/inhalative exposure.

Precautionary Statements: P260 Do not breathing dust/fume/vapor
P273 Avoid release to the environment
P301+P310 If swallowed: Immediately call a poison center/doctor
P304+P340 If inhaled: remove person to fresh air

HMIS Health Ratings (0-4):

Health: 2
Flammability: 0
Physical: 1

3. Composition

Chemical Family: Ceramic
Additional Names: N/A

Copper zinc tin selenide ($\text{Cu}_2\text{ZnSnSe}_4$):
Percentage: 100 wt%
CAS #: N/A
EC #: N/A

4. First Aid Procedures

General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Give one to two glasses of water and induce vomiting. Never induce vomiting or give anything by mouth to an unconscious person.
Skin:	Wash affected area with mild soap and water. Remove any contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing

5. Fire and Explosion Hazards Data

Flammability:	Non-flammable
Flash Point:	N/A
Autoignition Temperature:	N/A
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for surrounding material and type of fire.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes.

6. Accidental Release Measures

If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits:	0.2 mg/m ³ as Se, long-term value
Threshold Limit Value:	0.2 mg/m ³ as Se, long-term value
Special Equipment:	None
Respiratory Protection:	Dust Respirator, NIOSH approved
Protective Gloves:	Rubber gloves
Eye Protection:	Safety glasses or goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.

9. Physical and Chemical Characteristics

Color	Dark reddish grey
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	N/A
Density:	N/A
Molecular weight:	627.032 g/mol

10. Reactivity

Stability:	Stable under recommended storage conditions
Reacts With:	Oxidizing agents
Incompatible Conditions:	None
Hazardous Decomposition Products:	Metal oxide fume

11. Toxicological Information

Potential Health Effects:

Eyes:	Irritating effect
Skin:	Irritating effect
Ingestion:	Toxic
Inhalation:	Toxic
Chronic:	Selenium may cause amyotrophic lateral sclerosis, bronchial irritation, gastrointestinal distress, vasopharyngeal irritation, garlic odor on breath and sweat, metallic taste, pallor, irritability, excessive fatigue, loss of fingernails and hair, pulmonary edema, anemia and weight loss. Metallic tin and inorganic tin compounds may cause nausea, vomiting, diarrhea, irritation and pneumoconiosis. Zinc fumes may cause metal fume fever. Effects include dry throat, metallic taste, chest pain, dyspnea, rales and dry cough. Several hours later, chills may occur with lassitude, malaise, fatigue, headache, back pain, muscle cramps, blurred vision, nausea, fever, perspiration, vomiting and leukocytosis.

Signs & Symptoms:	N/A
Aggravated Medical Conditions:	N/A

Median Lethal Dose: N/A

Carcinogen: N/A

12. Ecological Information

Ecological data is not available.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous:

Hazardous for transportation



Hazard Class:

6.1 Toxic substances

Packing Group:

III

UN Number:

UN3283

Proper Shipping Name:

Selenium compound, solid, n.o.s. (Copper zinc tin selenide)

Additional information:

Special marking for DOT and IMDG (fish and tree)

Marine pollutant for IMDG

15. Regulatory Information

Sec 302 Extremely Hazardous:

No

Sec 304 Reportable Quantities:

N/A

Sec 313 Toxic Chemicals:

Yes

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

12/17/2022